

# System solutions for all your project needs.

EZYCOAT has over 30 years' experience supplying system solutions for residential and commercial applications. We offer a full system solution within the one location providing customers with a one stop shop experience.



## **PROJECT TAKE OFF SERVICE**

Let us help you by providing a take-off service for all projects, from low-rise to commercial. Simply send us your plans and specifications and we will provide a quote based on the required materials to complete the project.

## **NCC COMPLIANT SYSTEMS**

The Exsulite® Thermal Facade Cladding System is a CodeMark® Certified System for use in Class One Housing.



## **RENDER, TEXTURE, PAINT & PATCH**

EZYCOAT offers a comprehensive range of quality products;

- Bagged Render
- Texture Finishes

Patches

• Sealers and Topcoats


that provide a full system solution for any technical requirements at a competitive price across the entire range.





# **EXSULITE** LIGHTWEIGHT THERMAL CLADDING SYSTEM

- 1 EXSULITE EPS
- 2 ECA RENDER
- 3 EZY MESH
- 4 ECA RENDER
- **5** SAND 800
- 6 MEMBRANE



EZYCOAT offers a *CodeMark* Compliant EPS system utilising *Exsulite* Lightweight Thermal Cladding with EZYCOAT Coating Systems (subject to system specifications).

The *Exsulite* Lightweight Thermal Cladding system offers a fully integrated cladding solution, suitable for 1-2 storey residential construction projects. *Exsulite* provides a fast install time and a high thermal insulation rating (subject to system specifications).

## **CREATIVE MOULDINGS**

EZYCOAT can provide your next project with a revolutionary architectural moulding system. Creative Mouldings are manufactured from quality EPS blocks covered with a durable rendered style finish which can be painted over.

Available in a range of standard mouldings or we can custom make to suit your requirements.

- Sunhood & Blades
- Window Architraves
- Keystones
- Vents

- Waist Bands
- Quoins
- Parapet Soffit
- Columns

### **BAGGED RENDERS**

| PRODUCT   |                                  | APPLICATION<br>TOOLS                               | SUBSTRATE TYPE   | FEATURE/BENEFIT   | SAND GRADE    | COVERAGE        | RECOMMENDED COATING THICKNESS  |
|---|----------------------------------|--|--|---|---------------|-----------------|--|
| EZYCOAT<br>SKIM<br>RENDER                         | <b>SKIM RENDER</b> Off White     | Hawk & Steel Trowel<br>Render Pump<br>Sponge Float | Clay brick, concrete<br>block, masonry surfaces                        | Provides an even and consistent sand finish for use as a skim coat.   | Medium Fine   |                 | 2.5mm MIN<br>-5mm MAX<br>per coat<br>to a MAX<br>thickness<br>of 8mm |
| EZYCOAT<br>RESEAU TRIBBET FAMILY<br>ECA<br>RENDER | <b>ECA RENDER</b><br>Off White   | Hawk & Steel Trowel<br>Render Pump<br>Sponge Float | Clay brick, concrete<br>block, EPS                                     | Designed for multi-purpose use including EPS systems, with the addition of polymer for superior bonding strength. | Medium Fine   | 3 - 4.8         |  |
| PUMP<br>RENDER                                    | PUMP RENDER<br>Off White         | Hawk & Steel Trowel<br>Render Pump<br>Sponge Float | Clay brick, concrete<br>block, masonry surfaces                        | Developed to cater for both hand and pump application.  | Medium Coarse | m²/bag          |  |
| EZYCOAT<br>RENDER                                 | <b>EZYFLOAT RENDER</b> Off White | Hawk & Steel Trowel<br>Sponge Float                | Clay brick, concrete<br>block, masonry surfaces                        | Ideal for use under acrylic texture coatings.   | Coarse        |                 |  |
| EZYCOAT<br>EZYPREP<br>& PATCH                     | EZYPREP & PATCH<br>Off White     | Steel Trowel                                       | Fibre cement sheeting<br>& sheet joints or<br>non-traditional surfaces | To prep and patch surfaces that would otherwise not accept a render product.                                      | Fine          | 4 - 6<br>m²/bag | 1.5mm MIN<br>3mm MAX   |

#### **TEXTURE FINISHES**

| PRODUCT        | APPLICATION<br>TOOLS          | SUBSTRATE TYPE   | FEATURE/BENEFIT  | SAND GRADE     | COVERAGE              |
|----------------|-------------------------------|--|--|----------------|-----------------------|
| SAND 800       |                               |  | A preblended acrylic texture that produces a granular sand finish.                   | Medium         | 11 - 12<br>m²/pail    |
| MIAMI          |                               |  | A mineral feature texture with the added protection of REPEL hydrophobic technology. | Medium         | 11 - 12<br>m²/pail    |
| POLYMER RENDER | Steel Trowel<br>Plastic Float | Fibre cement sheeting,<br>pre rendered surfaces,<br>AFS Logicwall®, Ritek®,<br>EPS, Tilt-Up Concrete | A medium-fine acrylic scrub fine sand finish.  | Fine           | 7 - 10<br>m²/pail     |
| SCRATCH 2MM    |                               |  | Decorative acrylic texture designed to produce a classic vertical or swirl finish.   | Coarse Scratch | 6 - 10<br>m²/pail     |
| BASEFLEX       |                               |  | A granular base levelling coat or medium-coarse granular texture.                    | Coarse         | 3 - 5<br>m²/pail/coat |

#### **SEALERS AND TOPCOATS**

| PRODUCT                 | APPLICATION<br>TOOLS                  | SUBSTRATE TYPE  | FEATURE/BENEFIT  | COVERAGE   |
|-------------------------|---------------------------------------|---|--|--|
| MASONRY SEALER          | Roller<br>Brush                       | Concrete, concrete blocks, clay bricks/blocks, AAC, plasterboard, fibre cement, villaboard, etc.                | Preparatory sealer and aid to subsequent texture application in EZYCOAT systems.                   | 100 - 120<br>m²/pail/coat                          |
| ULTRAFINE SEALER        | Roller<br>Brush                       | Fibre cement sheeting, pre rendered surfaces, <i>AFS Logicwall, Ritek</i> , EPS, Tilt-Up Concrete               | Preparatory sealer and aid to subsequent texture application in EZYCOAT systems.                   | 70 - 85<br>m²/pail per coat                        |
| CEILING TEXTURE INT/EXT | Texture Roller<br>Mop Finish<br>Brush | Plasterboard, concrete and fibre cement sheeting  | A roll on stipple texture ideal for off-form concrete ceiling and soffits.                         | 20 - 25<br>m²/pail/coat                            |
| MEMBRANE                | MIN 24mm Long Nap Roller<br>Brush     | Fibre cement sheeting, pre<br>rendered surfaces, <i>AFS Logicwall</i> ,<br><i>Ritek</i> , EPS, Tilt-Up Concrete | A durable and flexible membrane coating designed to protect your EZYCOAT render & texture systems. | 50 - 60<br>m²/pail per coat<br>2 coats recommended |

### **PATCHES**

| PRODUCT | APPLICATION<br>TOOLS | SUBSTRATE TYPE  | FEATURE/BENEFIT   | SAND GRADE | BUILD THICKNESS<br>PER COAT |
|---------|----------------------|---|---|------------|-----------------------------|
| EZYCOAT | Steel Trowel         | Fibre cement sheeting, pre<br>rendered surfaces, <i>AFS Logicwall</i> ,<br><i>Ritek</i> , EPS, Tilt-Up Concrete | Acrylic basecoat designed to patch and prepare masonry surfaces in EZYCOAT systems. | Smooth     | 2mm                         |
| PAICH   | Sponge               |   |   | Coarse     | 3mm                         |

For further information visit **activebuildingsystems.com.au** or call **1300 566 592** 

